ELSEVIER

Carbohydrate Research 278 (1995) C3–C4

CARBOHYDRATE RESEARCH

Author index

Amadò, R. 181
Andersson, M. 143

Barili, P.L. 43
Benaïssa, M. 227
Berti, G. 43
Blaskó, A. 315
Boullanger, P. 91
Brant, D.A. 11
Bunel, S. 315
Bunton, C.A. 315
Busatto, C. 227

Catelani, G. 43
Chapelle, S. 227
Chevalier, Y. 91
Cini, C. 43
Cotta, M.A. 143
Croizier, M.-C. 91

D'Andrea, F. 43
Daniel, G. 59
Desbrieres, J. 27

Ekelöf, K. 289
Enriquez, P. 113

Ferreira, F. 143
Fringant, C. 27
Fujita, K. 129

Giuliano, R.M. 345
Gray, G.R. 329
Groman, E.V. 113

Hara, K. 129
Hasegawa, R. 301
Hashimoto, H. 129
Havlíček, V. 59
Hicks, K.B. 1
Hlaïbi, M. 227
Hotchkiss, Jr, A.T. 1

Ibarra, C. 315
Irwin, P.L. 1
Itazu, K. 195
Iversen, T. 339

Jann, B. 155
Jann, K. 155
Jung, C. 113

Kamitori, S. 195
Kenne, L. 143
Khan, S.H. 351
Khripach, N.B. 71
Kitahata, S. 129
Kitamura, S. 195, 301
Kochanowski, H. 155
Koizumi, K. 129

Lafont, D. 91
Larsson, P.T. 339
Latxague, L. 257
Lehmann, J. 167
Liu, H.-S. 11

Manetta, V.E. 345
Manley-Harris, M. 363
Manzardo, G.G.G. 181
Mastrorilli, E. 43
Matta, K.L. 351
Mazeau, K. 27
Menz, E. 113
Mikhailopulo, I.A. 71
Misra, A.K. 103
Moraga, E. 315

Niederer, I.B. 181
Noguchi, K. 195

Oh, I.H. 329
Ohguchi, Y. 301
Ohno, S. 195
Okada, Y. 129
Okuyama, K. 195
Oscarson, S. 271, 289

Peng, J. 239
Poopeiko, N.E. 71
Prescott, J.H. 113
Přikrylová, V. 59

Rabenstein, D.L. 239
Richards, G.N. 363
Rinaudo, M. 27
Rob, B. 167
Robert, J.M. 239
Rollin, P. 257
Roy, N. 103

Sancho, M.-R. 91
Sedmera, P. 59
Seltmann, G. 155
Shashkov, A. 155
Simms, P.J. 1
Sivets, G.G. 71
Smith, G.R. 345
Stack, R.J. 143
Streicher, H. 257

Takeo, K. 195, 301
Tanimoto, T. 129
Tedebark, U. 271
Thiem, J. 257
Torgov, V. 155
Tvaroska, I. 27

Verchère, J.-F. 227
Volc, J. 59

Wagenknecht, H.-A. 167
Westermark, U. 339
Wiemann, T. 257

York, W.S. 205

Zhu, Z.S. 11

ELSEVIER

Carbohydrate Research 278 (1995) C5–C9

CARBOHYDRATE RESEARCH

Subject index

Acceptor analog
Synthesis of 2-acetamido-2-deoxy-β-D-glucopyranosyl-(1 → 2)-α-D-mannopyranosyl-(1 → 6)-β-D-mannopyranosyl-(1 → 4)-2-acetamido-2-deoxy-D-glucopyranose. Acceptor–substrate recognition by *N*-acetylglucosaminyltransferase-V (GnT-V) 351

N-Acetylglucosaminyltransferase-V
Synthesis of 2-acetamido-2-deoxy-β-D-glucopyranosyl-(1 → 2)-α-D-mannopyranosyl-(1 → 6)-β-D-mannopyranosyl-(1 → 4)-2-acetamido-2-deoxy-D-glucopyranose. Acceptor–substrate recognition by *N*-acetylglucosaminyltransferase-V (GnT-V) 351

Aldononitrile peracetates
A reinvestigation of the derivatization of monosaccharides as aldononitrile peracetates 181

Aldose oxime peracetates
A reinvestigation of the derivatization of monosaccharides as aldononitrile peracetates 181

2-Amino-2-deoxy-D-glucose
Synthesis and surface-active properties of some alkyl 2-amino-2-deoxy-β-D-glucopyranosides 91

Amphiphiles
Synthesis and surface-active properties of some alkyl 2-amino-2-deoxy-β-D-glucopyranosides 91

Amylopectin
Thermal transfer of fructosyl residues to amylopectin and soluble starch during the melt thermolysis of sucrose 363

Amylose
Hydration of α-maltose and amylose: molecular modelling and thermodynamics study 27

1,6-Anhydro-β-maltoriose derivatives
Molecular and crystal structures of two 1,6-anhydro-β-maltotriose derivatives 195

Arabinogalactan
Larch arabinogalactan for hepatic drug delivery: isolation and characterization of a 9 kDa arabinogalactan fragment 113

Bacterial antigens
Synthesis of 2-(4-aminophenyl)ethyl 3-deoxy-5-*O*-(3,4,6-tri-*O*-β-D-glucopyranosyl-α-D-glucopyranosyl)-α-D-*manno*-oct-2-ulopyranosidonic acid, a highly branched pentasaccharide corresponding to structures found in lipopolysaccharides from *Moraxella catarrhalis* 289

Bacterial polysaccharide
Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain 49 143

4,6-*O*-Benzylidene-D-glucopyranose
4,6-*O*-Benzylidene-D-glucopyranose and its sodium salt: new data on their preparation and properties 43

4,6-*O*-Benzylidene-D-glucopyranose sodium salt
4,6-*O*-Benzylidene-D-glucopyranose and its sodium salt: new data on their preparation and properties 43

Borane · methyl sulfide
Reductive cleavage of glycosides with borane complexes in the presence of boron trifluoride etherate 329

Boron–amine complexes
Reductive cleavage of glycosides with borane complexes in the presence of boron trifluoride etherate 329

Boron trifluoride etherate
Reductive cleavage of glycosides with borane complexes in the presence of boron trifluoride etherate 329

Butyrivibrio fibrisolvens
Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain 49 143

Carbohydrates
Syntheses of deoxy analogues of methyl 3,6-di-*O*-α-D-mannopyranosyl-α-D-mannopyranoside for studies of the binding site of Concanavalin A 271
Synthesis of 2-(4-aminophenyl)ethyl 3-deoxy-5-*O*-(3,4,6-tri-*O*-β-D-glucopyranosyl-α-D-glucopyranosyl)-α-D-*manno*-oct-2-ulopyranosidonic acid, a highly branched pentasaccharide corresponding to structures found in lipopolysaccharides from *Moraxella catarrhalis* 289
(1-Carboxyethyl)hexose
Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain 49 143
Cellulose Iα
Determination of the cellulose Iα allomorph content in a tunicate cellulose by CP/MAS ^{13}C-NMR spectroscopy 339
Cellulose Iβ
Determination of the cellulose Iα allomorph content in a tunicate cellulose by CP/MAS ^{13}C-NMR spectroscopy 339
^{14}C-labelled
Synthesis and surface-active properties of some alkyl 2-amino-2-deoxy-β-D-glucopyranosides 91
^{13}C NMR
Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides (cyclodextrins) produced by transgalactosylation with α-galactosidase from coffee bean 129
A ^{13}C and ^{183}W NMR study of D-*glycero*-D-*gulo*-heptonic acid as a multisite ligand in tungstate complexes 227
Cobalt
Complexes of Co(III) with L-sorbose and phenanthroline 315
Competitive inhibition
Analogues of disaccharides and glycosides containing a cyclic guanidinium structure show varying inhibitory effects on glycoside hydrolases 167
Complexes
Complexes of Co(III) with L-sorbose and phenanthroline 315
Conformation
Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239
Conformational dynamics
The dependence of glucan conformational dynamics on linkage position and stereochemistry 11
Cyclic guanidines
Analogues of disaccharides and glycosides containing a cyclic guanidinium structure show varying inhibitory effects on glycoside hydrolases 167
Cyclomaltoheptaose (β-cyclodextrin)
High-performance liquid chromatographic separation of oligogalacturonic acids on a cyclomaltoheptaose (β-cyclodextrin) bonded-phase column 1

Deoxy derivatives
Synthesis of deoxy derivatives of the glucosinolates glucotropaeolin and glucobrassicin 257
6-Deoxy-L-talose
NMR investigation of the 6-deoxy-L-talose-containing O45, O45-related (O45rel), and O66 polysaccharides of *Escherichia coli* 155
Deoxy sugars
Syntheses of deoxy analogues of methyl 3,6-di-*O*-α-D-mannopyranosyl-α-D-mannopyranoside for studies of the binding site of Concanavalin A 271
Differential scanning calorimetry
Hydration of α-maltose and amylose: molecular modelling and thermodynamics study 27
D-Glucose
Conversion of D-glucose to D-*erythro*-hexos-2,3-diulose (2,3-diketo-D-glucose) by enzyme preparations from the basidiomycete *Oudemansiella mucida* 59
D-*glycero*-D-*gulo*-heptonic acid
A ^{13}C and ^{183}W NMR study of D-*glycero*-D-*gulo*-heptonic acid as a multisite ligand in tungstate complexes 227

Epimerization
Oxidation–reduction sequence for the synthesis of peracylated fluorodeoxy pentofuranosides 71
Escherichia coli O45 and O66 antigens
NMR investigation of the 6-deoxy-L-talose-containing O45, O45-related (O45rel), and O66 polysaccharides of *Escherichia coli* 155
Extracellular polysaccharide
Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain 49 143

FABMS
Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides

(cyclodextrins) produced by transgalactosylation with α-galactosidase from coffee bean 129
Fluorodeoxy pentofuranosides
Oxidation–reduction sequence for the synthesis of peracylated fluorodeoxy pentofuranosides 71
Fructosyl
Thermal transfer of fructosyl residues to amylopectin and soluble starch during the melt thermolysis of sucrose 363

α-Galactosidase, coffee bean
Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides (cyclodextrins) produced by transgalactosylation with α-galactosidase from coffee bean 129
Galactosyl cyclodextrin
Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides (cyclodextrins) produced by transgalactosylation with α-galactosidase from coffee bean 129
GC
A reinvestigation of the derivatization of monosaccharides as aldononitrile peracetates 181
Glucan
The dependence of glucan conformational dynamics on linkage position and stereochemistry 11
A conformational model for cyclic β-(1 → 2)-linked glucans based on NMR analysis of the β-glucans produced by *Xanthomonas campestris* 205
Glucobrassicin
Synthesis of deoxy derivatives of the glucosinolates glucotropaeolin and glucobrassicin 257
Glucosinolates
Synthesis of deoxy derivatives of the glucosinolates glucotropaeolin and glucobrassicin 257
Glucotropaeolin
Synthesis of deoxy derivatives of the glucosinolates glucotropaeolin and glucobrassicin 257
Glycoconjugates
Synthesis of 2-(4-aminophenyl)ethyl 3-deoxy-5-*O*-(3,4,6-tri-*O*-β-D-glucopyranosyl-α-D-glucopyranosyl)-α-D-*manno*-oct-2-ulopyranosidonic acid, a highly branched pentasaccharide corresponding to structures found in lipopolysaccharides from *Moraxella catarrhalis* 289
Glycosidation
Synthesis of (1 → 4)-β-D-xylo-oligosaccharides of dp 4–10 by a blockwise approach 301
Glycoside hydrolases
Analogues of disaccharides and glycosides containing a cyclic guanidinium structure show varying inhibitory effects on glycoside hydrolases 167
Glycosyltransferase
Synthesis of 2-acetamido-2-deoxy-β-D-glucopyranosyl-(1 → 2)-α-D-mannopyranosyl-(1 → 6)-β-D-mannopyranosyl-(1 → 4)-2-acetamido-2-deoxy-D-glucopyranose. Acceptor–substrate recognition by *N*-acetylglucosaminyltransferase-V (GnT-V) 351
Glycosyltransferase assay
Synthesis of 2-acetamido-2-deoxy-β-D-glucopyranosyl-(1 → 2)-α-D-mannopyranosyl-(1 → 6)-β-D-mannopyranosyl-(1 → 4)-2-acetamido-2-deoxy-D-glucopyranose. Acceptor–substrate recognition by *N*-acetylglucosaminyltransferase-V (GnT-V) 351

Heparin
Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239
Heparin–metal binding
Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239
Hepatic drug delivery
Larch arabinogalactan for hepatic drug delivery: isolation and characterization of a 9 kDa arabinogalactan fragment 113
Hexadecaglucoside, cyclic
A conformational model for cyclic β-(1 → 2)-linked glucans based on NMR analysis of the β-glucans produced by *Xanthomonas campestris* 205
D-*erythro*-Hexos-2,3-diulose
Conversion of D-glucose to D-*erythro*-hexos-2,3-diulose (2,3-diketo-D-glucose) by enzyme preparations from the basidiomycete *Oudemansiella mucida* 59
^{1}H NMR spectroscopy
Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239
HPLC
High-performance liquid chromatographic separation of oligogalacturonic acids on a cyclomaltoheptaose (β-cyclodextrin) bonded-phase column 1
Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides (cyclodextrins) produced by transgalactosylation with α-galactosidase from coffee bean 129
Hydration
Hydration of α-maltose and amylose: molecular modelling and thermodynamics study 27
Hydrogen bonding
Hydration of α-maltose and amylose: molecular modelling and thermodynamics study 27

N-Hydroxyglycofuranosylamine peracetates
A reinvestigation of the derivatization of monosaccharides as aldononitrile peracetates 181

Imines, *N*-phosphinyl
Carbohydrate *N*-phosphinyl imine derivatives: synthesis and conversion to amino sugars 345

Kdo
Synthesis of 2-(4-aminophenyl)ethyl 3-deoxy-5-*O*-(3,4,6-tri-*O*-β-D-glucopyranosyl-α-D-glucopyranosyl)-α-D-*manno*-oct-2-ulopyranosidonic acid, a highly branched pentasaccharide corresponding to structures found in lipopolysaccharides from *Moraxella catarrhalis* 289
Keto sugars
Oxidation–reduction sequence for the synthesis of peracylated fluorodeoxy pentofuranosides 71
Klebsiella type 2
Synthesis of the tetrasaccharide repeating unit of the antigen from *Klebsiella* type 2 103

Lectin interactions
Syntheses of deoxy analogues of methyl 3,6-di-*O*-α-D-mannopyranosyl-α-D-mannopyranoside for studies of the binding site of Concanavalin A 271
Linkage position
The dependence of glucan conformational dynamics on linkage position and stereochemistry 11

Maltose
Hydration of α-maltose and amylose: molecular modelling and thermodynamics study 27
Model, conformational
A conformational model for cyclic β-(1 → 2)-linked glucans based on NMR analysis of the β-glucans produced by *Xanthomonas campestris* 205
Molecular modelling
Hydration of α-maltose and amylose: molecular modelling and thermodynamics study 27
Monosaccharides
A reinvestigation of the derivatization of monosaccharides as aldononitrile peracetates 181

^{23}Na NMR spectroscopy
Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239
NMR
Determination of the cellulose Iα allomorph content in a tunicate cellulose by CP/MAS ^{13}C-NMR spectroscopy 339
NMR analysis
NMR investigation of the 6-deoxy-L-talose-containing O45, O45-related (O45rel), and O66 polysaccharides of *Escherichia coli* 155
Non-freezing water
Hydration of α-maltose and amylose: molecular modelling and thermodynamics study 27

Oligogalacturonic acids
High-performance liquid chromatographic separation of oligogalacturonic acids on a cyclomaltoheptaose (β-cyclodextrin) bonded-phase column 1
Oligosaccharide
Synthesis of the tetrasaccharide repeating unit of the antigen from *Klebsiella* type 2 103
Oligosaccharides, D-xylo-
Synthesis of (1 → 4)-β-D-xylo-oligosaccharides of dp 4–10 by a blockwise approach 301
Oligosaccharide synthesis
Syntheses of deoxy analogues of methyl 3,6-di-*O*-α-D-mannopyranosyl-α-D-mannopyranoside for studies of the binding site of Concanavalin A 271
Synthesis of 2-(4-aminophenyl)ethyl 3-deoxy-5-*O*-(3,4,6-tri-*O*-β-D-glucopyranosyl-α-D-glucopyranosyl)-α-D-*manno*-oct-2-ulopyranosidonic acid, a highly branched pentasaccharide corresponding to structures found in lipopolysaccharides from *Moraxella catarrhalis* 289
Synthesis of 2-acetamido-2-deoxy-β-D-glucopyranosyl-(1 → 2)-α-D-mannopyranosyl-(1 → 6)-β-D-mannopyranosyl-(1 → 4)-2-acetamido-2-deoxy-D-glucopyranose. Acceptor–substrate recognition by *N*-acetylglucosaminyltransferase-V (GnT-V) 351
Oudemansiella mucida
Conversion of D-glucose to D-*erythro*-hexos-2,3-diulose (2,3-diketo-D-glucose) by enzyme preparations from the basidiomycete *Oudemansiella mucida* 59
Oximes
Carbohydrate *N*-phosphinyl imine derivatives: synthesis and conversion to amino sugars 345

Pectin
High-performance liquid chromatographic separation of oligogalacturonic acids on a cyclomaltoheptaose (β-cyclodextrin) bonded-phase column 1
Phenanthroline
Complexes of Co(III) with L-sorbose and phenanthroline 315
Polygalacturonic acid
High-performance liquid chromatographic separation of oligogalacturonic acids on a cyclomal-

toheptaose (β-cyclodextrin) bonded-phase column 1
Polysaccharide
Reductive cleavage of glycosides with borane complexes in the presence of boron trifluoride etherate 329
Polysaccharide structures
NMR investigation of the 6-deoxy-L-talose-containing O45, O45-related (O45rel), and O66 polysaccharides of *Escherichia coli* 155

X-Ray structure
Molecular and crystal structures of two 1,6-anhydro-β-maltotriose derivatives 195
Reductive cleavage
Reductive cleavage of glycosides with borane complexes in the presence of boron trifluoride etherate 329
Relaxation times
Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239

Single crystal
Molecular and crystal structures of two 1,6-anhydro-β-maltotriose derivatives 195
Soluble starch
Thermal transfer of fructosyl residues to amylopectin and soluble starch during the melt thermolysis of sucrose 363
L-Sorbose
Complexes of Co(III) with L-sorbose and phenanthroline 315
Stereochemistry
The dependence of glucan conformational dynamics on linkage position and stereochemistry 11
Structural elucidation
Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain 49 143
Sugars, amino, synthesis
Carbohydrate *N*-phosphinyl imine derivatives: synthesis and conversion to amino sugars 345
Surfactant
Synthesis and surface-active properties of some alkyl 2-amino-2-deoxy-β-D-glucopyranosides 91
Synthesis
Synthesis of the tetrasaccharide repeating unit of the antigen from *Klebsiella* type 2 103
Synthesis, blockwise
Synthesis of (1 → 4)-β-D-xylo-oligosaccharides of dp 4–10 by a blockwise approach 301

Tetrasaccharide repeating unit
Synthesis of the tetrasaccharide repeating unit of the antigen from *Klebsiella* type 2 103
Thermal transfer
Thermal transfer of fructosyl residues to amylopectin and soluble starch during the melt thermolysis of sucrose 363
Thermolysis
Thermal transfer of fructosyl residues to amylopectin and soluble starch during the melt thermolysis of sucrose 363
1-Thioglucopyranose
Synthesis of deoxy derivatives of the glucosinolates glucotropaeolin and glucobrassicin 257
Transgalactosylation
Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides (cyclodextrins) produced by transgalactosylation with α-galactosidase from coffee bean 129
Transition-state analogues
Analogues of disaccharides and glycosides containing a cyclic guanidinium structure show varying inhibitory effects on glycoside hydrolases 167
Tungstate complexes
A ^{13}C and ^{183}W NMR study of D-*glycero*-D-*gulo*-heptonic acid as a multisite ligand in tungstate complexes 227
Tunicate cellulose
Determination of the cellulose Iα allomorph content in a tunicate cellulose by CP/MAS ^{13}C-NMR spectroscopy 339

^{183}W NMR
A ^{13}C and ^{183}W NMR study of D-*glycero*-D-*gulo*-heptonic acid as a multisite ligand in tungstate complexes 227

Xantohomonas campestris
A conformational model for cyclic β-(1 → 2)-linked glucans based on NMR analysis of the β-glucans produced by *Xanthomonas campestris* 205